


# SYSTEMS IV<sup>®</sup>

PRODUCT CATALOG 2017

877.322.5019

[support@faimreps.com](mailto:support@faimreps.com)



# Universal Water Treatment



SYSTEMS IV® WATERMASTER MINI

- Good for water with a pH of op to 7.5
- Scale elimination
- 30 second cartridge changeout
- 5 micron filtration
- For Ice, Steam/Combi Ovens with flow rates up to 2.5gpm
- Pressure gauge
- 1/2" NPT
- Many options for first stage cartridge
- Pack Size: 1



SYSTEMS IV® WATERMASTER 1NP

- Good for water with a pH of op to 7.5
- Scale elimination
- 30 second cartridge changeout
- 5 micron filtration
- For Ice, Steam/Combi Ovens with flow rates up to 3.0gpm
- Pressure gauge
- 1/2" NPT
- Many options for first stage cartridge
- Pack Size: 1



SYSTEMS IV® WATERMASTER 2NP

- Good for water with a pH of op to 7.5
- Scale elimination
- 30 second cartridge changeout
- For Ice, Steam/Combi Ovens up to 4.0 gpm
- Pressure gauge
- 1/2" NPT
- Many options for first stage cartridge
- Pack Size: 1



SYSTEMS IV® WATERMASTER 3NP

- Good for water with a pH of op to 7.5
- Scale elimination
- 30 second cartridge changeout
- For Ice, Steam/Combi Ovens up to 5.5 gpm
- Pressure gauge
- 1/2" NPT
- Many options for first stage cartridge
- Pack Size: 1



SYSTEMS IV® WATERMASTER CS

- Made specifically for Combination Systems
- Good for water with a pH of op to 7.5
- Scale elimination
- 30 second cartridge changeout
- For Ice, Steam/Combi Ovens up to 4.0 gpm
- Pressure gauge
- 1/2" NPT
- Many options for first stage cartridge
- Pack Size: 1



SYSTEMS IV® WATERMASTER 3 CS

- Made specifically for Combination Systems
- Good for water with a pH of op to 7.5
- Scale elimination
- 30 second cartridge changeout
- For Ice, Steam/Combi Ovens up to 5.5 gpm
- Pressure gauge
- 1/2" NPT
- Many options for first stage cartridge
- Pack Size: 1

## SYSTEMS IV® WATERMASTER SYSTEM & REPLACEMENT PRICING

SYSTEM	PART NUMBER	WEIGHT	LIST PRICE	REPLACEMENT	LIST PRICE	DIMENSIONS
WaterMaster Mini	WMM	-	\$488.92	WMM-R KIT	\$115.75	
				STAGE 1: TCB10-5	\$29.56	
				STAGE 2: SC100	\$89.74	
WaterMaster 1NP	WM1NP	-	\$642.30	WM1-R KIT	\$300.52	
				STAGE 1: TCB10-5	\$29.56	
				STAGE 2: WT2	\$282.95	
WaterMaster 2NP	WM2NP	15 lbs	\$718.95	WM2-R KIT	\$342.95	17"W x 28"H
				ST 1: TCB20-5	\$67.75	
				STAGE 2: WT2	\$282.95	
WaterMaster 3NP	WM3NP	-	\$853.15	WM3-R KIT	\$385.80	
				STAGE 1: TCB420-5	\$126.30	
				STAGE 2: WT2	\$282.95	
WaterMaster CS	WM-CS	-	\$733.25	WMCS-R KIT	\$342.95	
				ST 1: TCB20-5	\$67.75	
				STAGE 2: WT2	\$282.95	
WaterMaster 3 CS	WM3-CS	-	\$875.35	WM3-R KIT	\$385.80	
				STAGE 1: TCB420-5	\$126.30	
				STAGE 2: WT2	\$282.95	

	Taste & Odor	Polyphosphate	Citryne®		6 Months	12 Months	SIZING	FLOW RATE
TCB10-5	✓			FILTER LIFE	✓		-	-
TCB20-5	✓				✓		-	-
TCB420-5	✓				✓		-	-
WT2			✓		✓		-	-

\* For more information on additional first stage replacements, including Chloramine, Lead and Sediment Reduction contact us.



### SYSTEMS IV® FLOW METER

- System Add-On
- Track the water flow through your system
- Assists in accuracy of filter cartridge change-outs
- Easy set-up and resetting
- Pack Size: 1

SYSTEM	PART NUMBER	WEIGHT	LIST PRICE	REPLACEMENT	LIST PRICE	DIMENSIONS
SIV DIGIFLOW		-	CALL	N/A	SAME	-



### SYSTEMS IV® ECOICE 800 SYSTEM & REPLACEMENT

- For cubers up to 800 lbs/day
- Scale elimination with Citryne®
- 30 second cartridge changeout
- Pressure gauge
- 1/2" NPT
- Pack Size: 1



### SYSTEMS IV® ECOICE 1300 SYSTEM & REPLACEMENT

- For cubers up to 1300 lbs/day
- Scale elimination with Citryne®
- 30 second cartridge changeout
- Pressure gauge
- 1/2" NPT
- Pack Size: 1



### SYSTEMS IV® ECOICE 2500 SYSTEM & REPLACEMENT


- For cubers up to 2500 lbs/day
- Scale elimination with Citryne®
- 30 second cartridge changeout
- Pressure gauge
- 1/2" NPT
- Pack Size: 1



SYSTEM	PART NUMBER	WEIGHT	LIST PRICE	REPLACEMENT	LIST PRICE	DIMENSIONS
Ecolce 600	ECO600	8 lbs	\$356.32	ECO600R	\$185.16	5.5"W x 33"H
Ecolce 1300	ECO1300	10 lbs	\$616.21	ECO1300R	\$434.95	5.5"W x 33"H
Ecolce 2500	ECO2500	13 lbs	\$811.16	ECO2500R	\$204.18	5.5"W x 33"H

	Taste & Odor	Polyphosphate	Citryne®	FILTER LIFE	6 Months	12 Months	SIZING	FLOW RATE
Ecolce 600	✓		✓		✓		600 lbs/day	3.8 gpm
Ecolce 1300	✓		✓			✓	1300 lbs/day	5.5 gpm
Ecolce 2500	✓		✓			✓	2500 lbs/day	7.0 gpm

Treats UP TO 32GPG of Hardness



### SYSTEMS IV® CRYSTALCLEAR ONE SYSTEM & REPLACEMENT

- Can be installed in any position
- Sediment filtration & chlorine reduction
- Polyphosphate scale inhibitor
- Pressure gauge
- 3/8" FLARE
- Pack Size: 1



### SYSTEMS IV® CRYSTALCLEAR PRO SYSTEM & REPLACEMENT

- Carbon based filtration
- Scale elimination with Citryne®
- 30 second cartridge changeout
- Pressure gauge
- 1/2" NPT
- Pack Size: 1



SYSTEM	PART NUMBER	WEIGHT	LIST PRICE	REPLACEMENT	LIST PRICE	DIMENSIONS
CrystalClear One	CC1	4 lbs	\$153.63	CC1R	\$140.37	3"D x 24"L
Crystal Clear Pro	CCPEC		\$382.42	CCPECR	\$240.95	

	Taste & Odor	Polyphosphate	Citryne®	FILTER LIFE	6 Months	12 Months	SIZING	FLOW RATE
CC1	✓	✓			✓		600 lbs/day	2.25 gpm
CCPEC	✓		✓		✓		1400 lbs/day	5.0 gpm

	Taste & Odor	Polyphosphate	Citryne®		6 Months	12 Months	SIZING	FLOW RATE
H200N	✓	✓		FILTER LIFE		✓	1300 lbs/day	5.5 gpm
MF1400N	✓	✓				✓	1400-1800 lbs/day	5.5 gpm
WaterTech	✓	✓			✓		to 2400 lbs/day	5.5 gpm
WaterMaster 2NP	✓		✓		✓		to 2400 lbs/day	5.0 gpm



#### SYSTEMS IV® CLEARCUBE SYSTEM & REPLACEMENT

- One year change out
- Sediment filtration & chlorine reduction
- Polyphosphate scale inhibitor
- Pressure gauge
- 1/2" NPT
- Pack Size: 1



#### SYSTEMS IV® MF1400N SYSTEM & REPLACEMENT

- One year change out
- Built-in multi stage filtration
- Polyphosphate scale inhibitor
- Pressure gauge
- 1/2" NPT
- Pack Size: 1



#### SYSTEMS IV® ICETECH SYSTEM & REPLACEMENT

- One year change out
- Sediment filtration & chlorine reduction
- Polyphosphate scale inhibitor
- Pressure gauge
- 1/2" NPT
- Pack Size: 1



#### SYSTEMS IV® WATERTech SYSTEM & REPLACEMENTS

- Good for water with a pH of op to 7.5
- Scale elimination
- 30 second cartridge changeout
- Also for Steamers up to 5.5gpm
- Pressure gauge
- 1/2" NPT
- Pack Size: 1

SYSTEM	PART NUMBER	WEIGHT	LIST PRICE	REPLACEMENT	LIST PRICE	DIMENSIONS
ClearCube	H200N		\$487.20	H201N	\$304.50	
MF1400N	MF1400N		\$580.65	MF1401N	\$373.80	
IceTech	IT		\$678.63	ITR KIT	\$448.35	
				STAGE 1: IT1	\$187.95	
				STAGE 2: IT2	\$260.40	
WaterTech	WT	21lbs	\$723.58	WTR KIT	\$456.75	10"W x 26"H
				STAGE 1: WT1	\$187.95	
				STAGE 2: WT2	\$268.80	



### SYSTEMS IV® DB900 REPLACEMENT \*\*DB901\*\*

- For cubers up to 900 lbs/day
- Scale elimination
- 12 month change out
- 3.67 gpm
- 3/8" FLARE
- Pack Size: 1



### SYSTEMS IV® DB1000 REPLACEMENT \*\*DB1001\*\*

- For Cubers up to 1000 lbs/day
- Scale elimination
- 12 month change out
- 3.67 gpm
- 3/8" FLARE
- Pack Size: 1

SYSTEM	PART NUMBER	WEIGHT	LIST PRICE	REPLACEMENT	LIST PRICE	DIMENSIONS
DB900	DB900	7 lbs	*CALL	DB901	\$304.50	27"H x 6"W
DB1000	DB1000	7 lbs	*CALL	DB1001	\$304.50	26"H x 7"W

	Taste & Odor	Polyphosphate	Citryne®	FILTER LIFE	6 Months	12 Months	SIZING	FLOW RATE
DB901	✓	✓				✓	900 lbs/day	3.67 gpm
CCPEC	✓	✓				✓	1000 lbs/day	3.67 gpm

\*Systems are Non-Core, special order parts. Call for pricing.



### SYSTEMS IV® BIOCLEAR I SYSTEM & REPLACEMENT

- Slime elimination for ice machines
- Chlorine feeder
- 1.5 ppm chlorine continuously dispensed
- Quick changeout
- 1/2" NPT
- Pack Size: 1



### SYSTEMS IV® BIOCLEAR II SYSTEM & REPLACEMENTS

- Slime elimination for ice machines
- Chlorine feeder
- 1.5 ppm chlorine continuously dispensed
- Reduces alkalinity to prevent scale
- Quick changeout
- 1/2" NPT
- Pack Size: 1

SYSTEM	PART NUMBER	WEIGHT	LIST PRICE	REPLACEMENT	LIST PRICE	DIMENSIONS
BioClean I	BCI	4 lbs	\$245.37	BCI-R (BT1)	\$210.00	3"D x 24"L
BioClean II	BCII	10 lbs	\$466.42	BCII-R KIT	\$442.11	6"W x 26"H
				STAGE 1: AB16	\$221.05	
				STAGE 2: BT1	\$221.05	

	Chlorine Feeder	Slime Reducer	Citryne®	FILTER LIFE	6 Months	12 Months	SIZING	FLOW RATE
BCI	✓	✓			✓		2400 lbs/day	5.5 gpm
BCII	✓	✓	✓		✓		2400 lbs/day	7.3 gpm



## SYSTEMS IV® TFH410

- Specifically made for Lead Reduction in Food Service
- Lead Reducing Cartridge
- Ring style Locking head
- Bypass Valve-In -Head
- 3/4" NPT
- Pack Size: 1

SYSTEM	PART NUMBER	WEIGHT	LIST PRICE	REPLACEMENT	LIST PRICE	DIMENSIONS
TFH410	TFH410	-		TCB410-5-PB		-

	Taste & Odor	Lead Reduction	Citryne®	FILTER LIFE	6 Months	12 Months	APPLICATION	FLOW RATE
TCB410-5-PB	✓	✓			✓		HIGH IRON	-



## steam



## SYSTEMS IV® WATERTECH SYSTEM &amp; REPLACEMENTS

- Good for water with a pH of up to 7.5
- Scale elimination
- 30 second cartridge changeout
- Also for ice to 2400 lbs/day
- Pressure gauge
- 1/2" NPT
- Pack Size: 1

Treats UP TO 32GPG of Hardness

SYSTEM	PART NUMBER	WEIGHT	LIST PRICE	REPLACEMENT	LIST PRICE	DIMENSIONS
WaterTech	WT	21lbs	\$723.58	WTR KIT	\$480.79	10"W x 26"H
				STAGE 1: WT1	\$197.84	
				STAGE 2: WT2	\$282.95	

	Taste & Odor	Polyphosphate	Citryne®	FILTER LIFE	6 Months	12 Months	APPLICATION	FLOW RATE
WaterTech	✓		✓		✓		STEAM	5.5 gpm



## SYSTEMS IV® WATERMASTER 2NP SYSTEM &amp; REPLACEMENTS

- Good for water with a pH of up to 7.5
- Scale elimination
- 30 second cartridge changeout
- Also for ice to 2400 lbs/day
- Pressure gauge
- 1/2" NPT
- Pack Size: 1

Treats UP TO 32GPG of Hardness

SYSTEM	PART NUMBER	WEIGHT	LIST PRICE	REPLACEMENT	LIST PRICE	DIMENSIONS
WaterMaster 2NP	WM2-NP	15 lbs	\$718.95	WM2R	\$342.95	17"W x 28"H
				ST 1: TCB20-5	\$67.75	
				STAGE 2: WT2	\$282.95	

	Taste & Odor	Polyphosphate	Citryne®	FILTER LIFE	6 Months	12 Months	APPLICATION	FLOW RATE
WaterTech	✓		✓		✓		STEAM/ COMBI	5.0 gpm

\* See pages 1 &amp; 2 for complete WaterMaster Series Line-Up



# steam



## SYSTEMS IV® STEAMTECH SYSTEM & REPLACEMENTS

- For All steam cookers
- Scale elimination
- Up to 28 gpg of hardness
- Pressure gauge
- 1/2" NPT
- Pack Size: 1



## SYSTEMS IV® STEAMTECH XL SYSTEM & REPLACEMENTS

- For All steam cookers
- Scale elimination
- 12 month change out
- Pressure gauge
- 1/2" NPT
- Pack Size: 1

SYSTEM	PART NUMBER	WEIGHT	LIST PRICE	REPLACEMENT	LIST PRICE	DIMENSIONS
SteamTech	ST	16 lbs	\$678.63	STR	\$471.95	26"H x 13"W
				STAGE 1: ST1	\$197.84	
				STAGE 2: ST2	\$274.11	
SteamTech XL	STXL	19 lbs	\$754.89	STXL-R	\$527.21	28"H x 10"W

	Taste & Odor	Polyphosphate	Citryne®	FILTER LIFE	6 Months	12 Months	SIZING	FLOW RATE
SteamTech	✓	✓			✓		ALL Steam	5.5 gpm
SteamTech XL	✓	✓				✓	ALL Steam	3.67 gpm

## SYSTEMS IV® SCP30 REPLACEMENTS \*F70C & AB412R\*

- For All steam cookers
- Scale elimination
- Up to 28 gpg of hardness
- Pressure gauge
- 1/2" NPT
- Pack Size: 1

## SYSTEMS IV® SC100 REPLACEMENT \*SC101\*

- For All steam cookers
- Scale elimination
- Up to 28 gpg of hardness
- Pressure gauge
- 1/2" NPT
- Pack Size: 1


SYSTEM	PART NUMBER	WEIGHT	LIST PRICE	REPLACEMENT	LIST PRICE	DIMENSIONS
SCP30	-	-	CALL	STAGE 1: F70C	\$456.00	-
				ST. 2: AB412-R	\$343.00	

	Taste & Odor	Polyphosphate	Citryne®	FILTER LIFE	6 Months	12 Months	SIZING	FLOW RATE
F70C	✓					✓	ALL Steam	7.0 gpm
AB412-R		✓			✓		ALL Steam	-

\*Systems are Non-Core, special order parts. Call for pricing.





## SYSTEMS IV® SCALEGONE SERIES SYSTEMS & REPLACEMENTS

- Can be added to any existing filtration system
- Stand alone scale elimination with Citryne®
- 30 second cartridge changeout
- For any application with High Scale problems
- No polyphosphates
- 1/2", 3/8" or 1/4" JG
- Pack Size: 1

SYSTEM	PART NUMBER	WEIGHT	LIST PRICE	REPLACEMENT	LIST PRICE	DIMENSIONS
ScaleGone .5	SG.5	4 lbs	\$255.32	SG.5	SAME	8.5"Hx2.5"W
ScaleGone 1	SG1	4 lbs	\$352.58	SG1	SAME	17.5"Hx4"W
ScaleGone 2	SG2	9 lbs	\$489.47	SG2	SAME	18.5"Hx5"W

	Taste & Odor	Polyphosphate	Citryne®	FILTER LIFE	6 Months	12 Months	FLOW RATE
ScaleGone .5			✓		✓		2.0 gpm
ScaleGone 1			✓		✓		5.5 gpm
ScaleGone 2			✓		✓		5.5 gpm

*Treats UP TO 32GPG of Hardness*



## SYSTEMS IV® SCALEGONE DCM TWIN SYSTEM & REPLACEMENTS

- Can be added to any existing filtration system
- ScaleGone treatment with carbon based filtration
- 30 second cartridge changeout
- For any application with High Scale problems
- No polyphosphates
- 1/2", 3/8" or 1/4" JG
- Pack Size: 1

SYSTEM	PART NUMBER	WEIGHT	LIST PRICE	REPLACEMENT	LIST PRICE	DIMENSIONS
DCM TWIN	DCM.5	4 lbs	\$355.89	DCM-R	\$318.32	

	Taste & Odor	Polyphosphate	Citryne®	FILTER LIFE	6 Months	12 Months	pH LEVEL
DCM Twin	✓		✓		✓		>7.5



## SYSTEMS IV® SCALEFREE BOOSTER SYSTEM & REPLACEMENT

- Can be added to any existing filtration system
- For Scale elimination ONLY
- 30 second cartridge changeout
- For any application with High Scale problems
- No polyphosphates
- 1/2" NPT
- Pack Size: 1

SYSTEM	PART NUMBER	WEIGHT	LIST PRICE	REPLACEMENT	LIST PRICE	DIMENSIONS
ScaleFree Booster	SFB		\$289.58	SFB-R	\$274.11	-

	Taste & Odor	Polyphosphate	Citryne®	FILTER LIFE	6 Months	12 Months	FLOW RATE
SFB			✓		✓		5.5 gpm

DROP-IN



## SYSTEMS IV® SC100 STARTER KIT & REPLACEMENT

- Fits in most standard 10" drop-in housings
- Citryne® scale eliminator
- Ideal alternative for ScaleStick®
- For any application with high scale problems
- No Polyphosphates
- Pack Size: 1

*Treats UP TO 32GPG of Hardness*

Models of 10 GPD & 30 GPD							
SYSTEM	PART NUMBER	WEIGHT	LIST PRICE	REPLACEMENT	LIST PRICE	DIMENSIONS	
SC100	SC100	2 lbs	\$89.74	SCB	\$51.21	9 3/4"x2 5/8"	
	Taste & Odor	Polyphosphate	Citryne®	FILTER LIFE	6 Months	12 Months	FLOW RATE
SC100	✓				✓		N/A

*ScaleStick® is a trademark of Everpure, Inc.*



## SYSTEMS IV® SC100H

- Designed specifically for HOT WATER Application
- For Scale elimination ONLY
- Drop-In Style
- Max 160°F
- For Glass Washers & Under Counter Ware Washers
- No polyphosphates
- 3/4" NPT
- Pack Size: 1



## SYSTEMS IV® SC200H

- Designed specifically for HOT WATER Application
- For Scale elimination ONLY
- Drop-In Style
- Max 160°F
- For Door Type & Small Conveyor Ware Washers
- No polyphosphates
- 3/4" NPT
- Pack Size: 1

HOT WATER



## SYSTEMS IV® SC300H

- Designed specifically for HOT WATER Application
- For Scale elimination ONLY
- Stainless Steel
- Max 275°F
- For Medium & Large Conveyor Ware Washers
- No polyphosphates
- 3/4" NPT
- Pack Size: 1

## SYSTEMS IV® HOT WATER SYSTEMS & REPLACEMENTS

SYSTEM	PART NUMBER	WEIGHT	LIST PRICE	REPLACEMENT	LIST PRICE	DIMENSIONS
SC100HSYS	SC100H	-	\$491.13	SC100H-R	\$133.26	-
SC200HSYS	SC200H	-	\$675.52	SC200H-R	\$202.11	22"H x 5"W
SC300HSYS	SC300H	-	\$1080.63	SC300H-R	\$305.26	22"H x 6"W

	Polyphosphate	Citryne®	FILTER LIFE	6 Months	12 Months	SIZING	FLOW RATE
SC100H		✓		✓		Glass & UC Ware Washers	8.0 gpm
SC200H		✓		✓		Door Type & Small Conveyor	8.0 gpm
SC300H		✓		✓		Medium & Large Conveyor	12.0 gpm



## SYSTEMS IV® CITRYMAX CARTRIDGE

- Quick Disconnect Citryne® Cartridge
- Citryne® scale eliminator
- Fits all CFS8xxx series filter heads
- For any application with high scale problems
- No Polyphosphates
- Available with head
- Pack Size: 1

SYSTEM	PART NUMBER	WEIGHT	LIST PRICE	REPLACEMENT	LIST PRICE	DIMENSIONS
CitryMax 8000	CM8000	-	CALL	CM8001	\$170.79	15.5"H x 3"D

	Taste & Odor	Polyphosphate	Citryne®	FILTER LIFE	6 Months	12 Months	FLOW RATE
CM8001			✓		✓		5.5 gpm



## beverage



## SYSTEMS IV® BEVERAGECLEAR SYSTEM & REPLACEMENT

- For high flow post mix
- Carbon based filtration
- Pressure gauge
- 1/2" NPT

## SYSTEMS IV® COFFEECLEAR SYSTEM & REPLACEMENT

- Polyphosphate scale inhibitor
- For hot beverage application
- Activated carbon to control chlorine
- Good for up to 3000 pots of coffee
- 3/8" FLARE
- Pack Size: 1

SYSTEM	PART NUMBER	WEIGHT	LIST PRICE	REPLACEMENT	LIST PRICE	DIMENSIONS
BeverageClear	BC	13 lbs	\$652.11	BCR	\$393.47	27"H x 10"W
CoffeeClear	CC	4 lbs	\$134.84	CC	SAME	20"W x 4"H

	Taste & Odor	Polyphosphate	Citryne®	FILTER LIFE	6 Months	12 Months	APPLICATION	FLOW RATE
BeverageClear	✓					✓	Fountain Beverage	440 gph
CoffeeClear	✓	✓			✓		Coffee/Espresso	2.25 gpm



#### SYSTEMS IV<sup>®</sup> CHILLTECH SLIM

- Specifically designed for ALL Under Counter Cubers
- No maintenance
- No costly filter change outs
- Designed to be installed horizontally
- Works on Modular ice machines up to 600 lbs/day
- Increases daily ice production and lowers kWh usage
- Pack Size: 1



#### SYSTEMS IV<sup>®</sup> CHILLTECH I

- For ice machines up to 1,200 lbs/day
- Hoshizaki machines up to 600 lbs/day
- No costly filter change outs
- Increases daily ice production and lowers kWh usage
- Pack Size: 1



#### SYSTEMS IV<sup>®</sup> CHILLTECH II

- For ice machines up to 2,400 lbs/day
- Hoshizaki machines up to 1,800 lbs/day
- No costly filter change outs
- Increases daily ice production and lowers kWh usage
- Pack Size: 1



#### SYSTEMS IV<sup>®</sup> CHILLTECH III

- For ice machines over 2,400 lbs/day
- Hoshizaki machines up to 2,400 lbs/day
- No costly filter change outs
- Increases daily ice production and lowers kWh usage
- Pack Size: 1

SYSTEM	PART NUMBER	WEIGHT	LIST PRICE	DIMENSIONS
ChillTech Slim	CT SLIM	-	\$496.84	-
ChillTech I	CTI	10 lbs	\$561.06	-
ChillTech II	CTII	16 lbs	\$1,019.63	-
ChillTech III	CTIII	20 lbs	\$1,096.09	-

	UC Cubers	600 LBS/DAY	1200 LBS/DAY	2400 LBS/DAY	OVER 2400 LBS/DAY	*HOSHIZAKI™
ChillTech Slim	✓	✓				UNDER COUNTER
ChillTech I			✓			600 LBS/DAY
ChillTech II				✓		1800 LBS/DAY
ChillTech III					✓	2000 to 2400 LBS/DAY

*Hoshizaki is a trademark of Hoshizaki America, Inc*

# SYSTEMS IV<sup>®</sup>

PROUD PARTNERS  **L.A.S. Associates/  
FAIM Reps, LLC**  
Filtration and Ice Makers

## LOCATIONS

### EAST COAST DISTRIBUTION

L.A.S. Associates/FAIM Reps LLC  
3567 County Road 37  
Bloomfield • NY • 14469  
toll free 877.322.5019 • fax 585.582.1985 • [www.faimreps.com](http://www.faimreps.com)  
[support@faimreps.com](mailto:support@faimreps.com)

### SYSTEMS IV HEADQUARTERS

6641 West Frye Road  
Chandler • AZ • 85226  
toll free 800.852.4221 • fax 602.961.1247 • [www.systemsiv.com](http://www.systemsiv.com)  
[sales@systemsiv.com](mailto:sales@systemsiv.com)